

# Notice of Allowability

Application No.

10/531,536

Examiner

Vincent Q. Nguyen

Applicant(s)

KUDRYAVTSEV ET AL.

Art Unit

2858

## -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to Reponse AF 9/19/2007.
2. ☒ The allowed claim(s) is/are 1-41.
3. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☒ All b) ☐ Some\* c) ☐ None of the:
    1. ☒ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
  5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
    - (a) ☐ including changes required by the Notice of Draftperson's Patent Drawing Review (PTO-948) attached
      - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_
    - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

### Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material


5. ☐ Notice of Informal Patent Application

6. ☐ Interview Summary (PTO-413), Paper No./Mail Date \_\_\_\_\_

7. ☐ Examiner's Amendment/Comment

8. ☒ Examiner's Statement of Reasons for Allowance

9. ☐ Other \_\_\_\_\_



VINCENT Q. NGUYEN  
PRIMARY EXAMINER

### **DETAILED ACTION**

1. Applicant's request for reconsideration of the finality of the rejection of the last Office action is persuasive and, therefore, the finality of that action is withdrawn.

Examiner also hereby withdraws the Election/Restrictions requirement made on 1/20/2007. Accordingly, all of the claims 1-41 are examined.

#### ***Allowable Subject Matter***

2. Claims 1-41 are allowed.

3. The following is an examiner's statement of reasons for allowance:

The prior art of record does not teach or suggest a method for the analysis of impurities in a mains gas having the steps of (c) selection of a main gas pressure and of the ionization chamber geometry in such that a distance between any point in said chamber and the nearest chamber wall or one of said electrodes is of the order or less than a mean displacement of an electron before it loses a given portion of its kinetic energy; (d) providing equipotential space at the region of said ionization chamber, where said ionizing collisions occur; (e) determination of amount of electrons with characteristic energies, which are generated in the ionization of said atoms or molecules, from electric current dependence on the voltage applied between said electrodes; and (f) identification of said impurities in said main gas from parameters of said electrons, as recited in the independent claim 1;

An ionization detector for the analysis of the impurities mixture having main gas pressure and the ionization chamber geometry being chosen in such that a distance from any point inside of said ionization chamber to nearest chamber wall or one of said

Art Unit: 2858

electrodes is less than a mean displacement of electrons before they lose the chosen portion of their kinetic energy; a measuring circuit to detect electric current as a function of the voltage applied to said electrodes wherein said measuring system is capable of determining the amount of electrons with characteristic energies produced during the ionization of said impurities, as recited in the independent claim 21 and in combination of the claims.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."


***Contact Information***

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Vincent Q. Nguyen whose telephone number is (571) 272-2234. The examiner can normally be reached on 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Andrew Hirshfeld can be reached on (571) 272-2168. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2858

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

A handwritten signature in black ink, appearing to read "V. Nguyen", is written over a horizontal line.

September 23, 2007

Vincent Q. Nguyen  
Primary Examiner  
Art Unit 2858